

Double Hung Windows

FEATURES

- All sash are tilt-in and removable for easy cleaning

- Adjustable spring balance jamb liners

Primed wood exteriors ready for paint or stain

- Standard 7/16 insulated glass manufactured to meet today's changing climates

- White or bronze hardware

- White or bronze screens available

OPTIONS

- Applied jamb extensions up to 7-1/2"

- White or bronze grills between glass

- Single glazed true divided lights with historical 1-1/4" or 7/8" Mutin bars

- Insulated true divided lights

- Grey or bronze tint, obscure, or tempered glass

- Wood screens available

- Historic putty glazed

- Insulated simulated divided lights

DHCT-18	DHCT-20	DHCT-24	DHCT-28	DHCT-30	DHCT-34	DHCT-38
DHTR-18	DHTR-20	DHTR-24	DHTR-28	DHTR-30	DHTR-34	DHTR-38
DH18210	DH20210	DH24210	DH28210	DH30210	DH34210	DH38210
DH1832	DH2032	DH2432	DH2832	DH3032	DH3432	DH3832
DH18310	DH20310	DH24310	DH28310	DH30310	DH34310	DH38310
DH1842	DH2042	DH2442	DH2842	DH3042	DH3442	DH3842
DH1846	DH2046	DH24246	DH2846	DH3046	DH3446	DH3846
DH18410	DH20410	DH24410	DH28410	DH30410	DH34410	DH38410
DH1852	DH2052	DH2452	DH2852	DH3052	DH3452	DH3852
DH1856	DH2056	DH2456	DH2856	DH3056	DH3456	DH3856
DH18510	DH20510	DH24510	DH28510	DH30510	DH34510	DH38510
DH1862	DH2062	DH2462	DH2862	DH3062	DH3462	DH3862
DH1866	DH2066	DH2466	DH2866	DH3066	DH3466	DH3866

16 1/2"	20 1/2"	24 1/2"	28 1/2"	32 1/2"	36 1/2"	40 1/2"
1'-8"	2'-0"	2'-4"	2'-8"	3'-0"	3'-4"	3'-8"
1'-9 5/16"	2'-1 5/16"	2'-5 5/16"	2'-9 5/16"	3'-1 5/16"	3'-5 5/16"	3'-9 5/16"
2'-0"	2'-4"	2'-8"	3'-0"	3'-4"	3'-8"	4'-0"
1'-10"	2'-2"	2'-6"	2'-10"	3'-2"	3'-6"	3'-10"


3'-2"	3'-6"	4'-2"	4'-6"	4'-10"	5'-2"	5'-6"	5'-10"	6'-2"	6'-6"	6'-10"
3'-2 3/8"	3'-6 3/8"	4'-2 3/8"	4'-6 3/8"	4'-10 3/8"	5'-2 3/8"	5'-6 3/8"	5'-10 3/8"	6'-2 3/8"	6'-6 3/8"	6'-10 3/8"
3'-1 5/16"	3'-5 1/16"	4'-1 5/16"	4'-5 1/16"	4'-9 5/16"	5'-1 5/16"	5'-5 1/16"	5'-9 5/16"	6'-1 5/16"	6'-5 1/16"	6'-9 5/16"
2'-10"	3'-2"	3'-10"	4'-2"	4'-6"	4'-10"	5'-2"	5'-6"	5'-10"	6'-2"	6'-6"
14 1/2"	16 1/2"	20 1/2"	22 1/2"	24 1/2"	26 1/2"	28 1/2"	30 1/2"	32 1/2"	34 1/2"	36 1/2"

Primed Wood Double Hungs
Single Units (cont. on pg. 6)



Double Hung Windows


Double Hung Windows



Primed Wood Double Hungs
Single Units (cont. from pg. 5)

FEATURES

- All sash are tilt-in and removable
for easy cleaning
- Adjustable spring balance jamb liners
- Primed wood exteriors ready for paint or stain
- Standard 7/16 insulated glass manufactured to meet today's changing climates
- White or bronze hardware
- White or bronze screens available



Double Hung Windows

OPTIONS

- Applied jamb extensions up to 7-1/2"
- White or bronze grills between glass
- Single glazed true divided lights with historical 1-1/4" or 7/8" Mutin bars
- Insulated true divided lights
- Grey or bronze tint, obscure, or tempered glass
- Wood screens available

DH2-18210	DH2-20210	DH2-24210	DH2-28210	DH2-30210	DH2-34210	DH2-38210	
DH2-1832	DH2-2032	DH2-2432	DH2-2832	DH2-3032	DH2-3432	DH2-3832	
DH2-18310	DH2-20310	DH2-24310	DH2-28310	DH2-30310	DH2-34310	DH2-38310	
DH2-1842	DH2-2042	DH2-2442	DH2-2842	DH2-3042	DH2-3442	DH2-3842	
DH2-1846	DH2-2046	DH2-2446	DH2-2846	DH2-3046	DH2-3446	DH2-3846	
DH2-18410	DH2-20410	DH2-24410	DH2-28410	DH2-30410	DH2-34410	DH2-38410	
DH2-1852	DH2-2052	DH2-2452	DH2-2852	DH2-3052	DH2-3452	DH2-3852	
DH2-1856	DH2-2056	DH2-2456	DH2-2856	DH2-3056	DH2-3456	DH2-3856	
DH2-18510	DH2-20510	DH2-24510	DH2-28510	DH2-30510	DH2-34510	DH2-38510	
DH2-1862	DH2-2062	DH2-2462	DH2-2862	DH2-3062	DH2-3462	DH2-3862	
DH2-1866	DH2-2066	DH2-2466	DH2-2866	DH2-3066	DH2-3466	DH2-3866	
DH2-1872	DH2-2072	DH2-2472	DH2-2872	DH2-3072	DH2-3472	DH2-3872	
DH2-1876	DH2-2076	DH2-2476	DH2-2876	DH2-3076	DH2-3476	DH2-3876	
DH2-1880	DH2-2080	DH2-2480	DH2-2880	DH2-3080	DH2-3480	DH2-3880	
							GLASS
							SASH
							UNIT DIM.
							BRICK MOLD DIM.
							ROUGH OPENING
16 1/2"	20 1/2"	24 1/2"	28 1/2"	32 1/2"	36 1/2"	40 1/2"	45 1/2"
1'-8"	2'-0"	2'-4"	2'-8"	3'-0"	3'-4"	3'-8"	
3'-6 5/8"	4'-2 5/8"	4'-10 5/8"	5'-6 5/8"	6'-2 5/8"	6'-10 5/8"	7'-6 5/8"	
3'-9 5/16"	4'-5 5/16"	5'-1 5/16"	5'-9 5/16"	6'-5 5/16"	7'-1 5/16"	7'-9 5/16"	
3'-7 5/16"	4'-3 5/16"	4'-11 5/16"	5'-7 5/16"	6'-2 5/16"	6'-11 5/16"	7'-7 5/16"	

Primed Wood Double Hungs
Double Units



Double Hung Windows

Double Hung Windows

8'-4"	7'-10"	7'-10"	7'-6"	6'-10"	6'-6"	6'-2"	5'-10"	5'-6"	5'-2"	4'-10"	4'-6"	4'-2"	3'-6"	3'-2"
8'-4 ^{5/8} "	7'-10 ^{3/8} "	7'-10 ^{3/8} "	7'-6 ^{3/8} "	6'-10 ^{3/8} "	6'-6 ^{3/8} "	6'-2 ^{3/8} "	5'-10 ^{3/8} "	5'-6 ^{3/8} "	5'-2 ^{3/8} "	4'-10 ^{3/8} "	4'-6 ^{3/8} "	4'-2 ^{3/8} "	3'-6 ^{3/8} "	3'-2 ^{3/8} "
8'-3 ^{5/16} "	7'-9 ^{5/16} "	7'-9 ^{5/16} "	7'-5 ^{5/16} "	6'-15 ^{5/16} "	6'-5 ^{5/16} "	6'-1 ^{5/16} "	5'-9 ^{5/16} "	5'-5 ^{5/16} "	5'-1 ^{5/16} "	4'-9 ^{5/16} "	4'-5 ^{5/16} "	4'-1 ^{5/16} "	3'-5 ^{5/16} "	3'-1 ^{5/16} "
8'-0"	7'-6"	7'-2"	7'-2"	6'-6"	6'-2"	5'-10"	5'-6"	5'-2"	4'-10"	4'-6"	4'-2"	3'-10"	3'-2"	2'-10"
45 ^{1/2} "	42 ^{1/2} "	40 ^{1/2} "	36 ^{1/2} "	34 ^{1/2} "	32 ^{1/2} "	30 ^{1/2} "	28 ^{1/2} "	26 ^{1/2} "	24 ^{1/2} "	22 ^{1/2} "	20 ^{1/2} "	16 ^{1/2} "	14 ^{1/2} "	
DH3-18210	DH3-20210	DH3-24210	DH3-28210	DH3-30210	DH3-34210	DH3-38210								
DH3-1832	DH3-2032	DH3-2432	DH3-2832	DH3-3032	DH3-3432	DH3-3832								
DH3-18310	DH3-20310	DH3-24310	DH3-28310	DH3-30310	DH3-34310	DH3-38310								
DH3-1842	DH3-2042	DH3-2442	DH3-2842	DH3-3042	DH3-3442	DH3-3842								
DH3-1846	DH3-20246	DH3-24246	DH3-28246	DH3-30246	DH3-34246	DH3-38246								
DH3-18410	DH3-20410	DH3-24410	DH3-28410	DH3-30410	DH3-34410	DH3-38410								
DH3-1852	DH3-2052	DH3-2452	DH3-2852	DH3-3052	DH3-3452	DH3-3852								
DH3-1856	DH3-2056	DH3-2456	DH3-2856	DH3-3056	DH3-3456	DH3-3856								
DH3-18510	DH3-20510	DH3-24510	DH3-28510	DH3-30510	DH3-34510	DH3-38510								
DH3-1862	DH3-2062	DH3-2462	DH3-2862	DH3-3062	DH3-3462	DH3-3862								
DH3-1866	DH3-2066	DH3-2466	DH3-2866	DH3-3066	DH3-3466	DH3-3866								
DH3-1872	DH3-2072	DH3-2472	DH3-2872	DH3-3072	DH3-3472	DH3-3872								
DH3-1876	DH3-2076	DH3-2476	DH3-2876	DH3-3076	DH3-3476	DH3-3876								
DH3-1880	DH3-2080	DH3-2480	DH3-2880	DH3-3080	DH3-3480	DH3-3880								
16 ^{1/2} "	20 ^{1/2} "	24 ^{1/2} "	28 ^{1/2} "	32 ^{1/2} "	36 ^{1/2} "	40 ^{1/2} "								
1'-8"	2'-0"	2'-4"	2'-8"	3'-0"	3'-4"	3'-8"								
5'-3 ^{15/16} "	6'-3 ^{15/16} "	7'-3 ^{15/16} "	8'-3 ^{15/16} "	9'-3 ^{15/16} "	10'-3 ^{15/16} "	11'-3 ^{15/16} "								
5'-6 ^{5/8} "	6'-6 ^{5/8} "	7'-6 ^{5/8} "	8'-6 ^{5/8} "	9'-6 ^{5/8} "	10'-6 ^{5/8} "	11'-6 ^{5/8} "								
5'-4 ^{5/8} "	6'-4 ^{5/8} "	7'-4 ^{5/8} "	8'-4 ^{5/8} "	9'-4 ^{5/8} "	10'-4 ^{5/8} "	11'-4 ^{5/8} "								

FEATURES

- All sash are tilt-in and removable **for easy cleaning**
- Adjustable spring balance jamb liners
- Primed wood exteriors ready for paint or stain
- Standard 7/16 insulated glass manufactured to meet today's changing climates
- White or bronze hardware
- White or bronze screens available
































































Primed Wood Double Hungs
Triple Units



Double Hung Windows

OPTIONS

- Applied jamb extensions up to 7-1/2"
- White or bronze grills between glass
- Single glazed true divided lights with historical 1-1/4" or 7/8" Mutin bars
- Insulated true divided lights
- Grey or bronze tint, obscure, or tempered glass
- Wood screens available


							4'-2"
DHP-30310	DHP-34310	DHP-38310	DHP-40310	DHP-44310	DHP-50310	DHP-60310	4'-2 3/8"
							4'-6"
DHP-3042	DHP-3442	DHP-3842	DHP-4042	DHP-4442	DHP-5042	DHP-6042	4'-6 3/8"
							4'-10"
DHP-3046	DHP-3446	DHP-3846	DHP-4046	DHP-4446	DHP-5046	DHP-6046	4'-10 3/8"
							5'-2"
DHP-30410	DHP-34410	DHP-38410	DHP-40410	DHP-44410	DHP-50410	DHP-60410	5'-2 3/8"
							5'-6"
DHP-3052	DHP-3452	DHP-3852	DHP-4052	DHP-4452	DHP-5052	DHP-6052	5'-6 3/8"
							5'-10"
DHP-3056	DHP-3456	DHP-3856	DHP-4056	DHP-4456	DHP-5056	DHP-6056	5'-10 3/8"
							6'-2"
DHP-30510	DHP-34510	DHP-38510	DHP-40510	DHP-44510	DHP-50510	DHP-60510	6'-2 3/8"
							6'-6"
DHP-3062	DHP-3462	DHP-3862	DHP-4062	DHP-4462	DHP-5062	DHP-6062	6'-6 3/8"
							6'-10"
DHP-3066	DHP-3466	DHP-3866	DHP-4066	DHP-4466	DHP-5066	DHP-6066	6'-10 3/8"
32 1/2"	36 1/2"	40 1/2"	44 1/2"	48 1/2"	56 1/2"	68 1/2"	GLASS
3'-0"	3'-4"	3'-8"	4'-0"	4'-4"	5'-0"	6'-0"	SRST
3'-1 5/16"	3'-5 5/16"	3'-9 5/16"	4'-1 5/16"	4'-5 5/16"	5'-1 5/16"	6'-1 5/16"	UNIT DIM.
3'-4"	3'-8"	4'-0"	4'-4"	4'-8"	5'-4"	6'-4"	BRICK MOLD DIM.
3'-2"	3'-6"	3'-10"	4'-2"	4'-6"	5'-2"	6'-2"	ROUGH OPENING

Primed Wood Picture Units




Double Hung Windows

Double Hung Windows



Primed Wood True Radius Single Hung



Primed Wood Segment Head Single Hung





ALSO AVAILABLE

- Historic putty glazed windows
- Insulated simulated divided lights
- 45° Angle Bay,s
- 30° Angle Bay's Bow
- Double Hung picture Units with flankers
- Double Hung Bow Windows
- Custom Double Hungs are available. Please see your Sales Representative for special quote and pricing





Double Hung Windows

Section Details
4-9/16" Stucco Wall
Not to Scale



Section Details
4-9/16" Wood Siding
Not to Scale



Double Hung Windows


FEATURES

- All sash are tilt-in and removable **for easy cleaning**
 - Adjustable spring balance jamb liners
- Primed wood exteriors ready for paint or stain
- Standard 7/16 insulated glass manufactured to meet today's changing climates
- White or bronze hardware
- White or bronze screens available


OPTIONS

- Applied jamb extensions up to 7-1/2"
- White or bronze grills between glass
 - Single glazed true divided lights with historical 1-1/4" or 7/8" Mutin bars
 - Insulated true divided lights
- Grey or bronze tint, obscure, or tempered glass
- Wood screens available

Section Details
4-9/16" Masonry Wall
Not to Scale



Vertical



Horizontal



Casement Windows

FEATURES

- Primed wood exteriors ready for paint or stain
- Standard 5/8 insulated glass manufactured to meet today's changing climates
- White or bronze hardware
- White or bronze screens available

OPTIONS

- Applied jamb extensions up to 7-1/2"
- White or bronze grills between glass
- Single glazed true divided lights with historical 1-1/4" or 7/8" Mutin bars
- Insulated true divided lights with 1/4" bar
- Insulated simulated divided lights with 1" bar
- Grey or bronze tint, obscure, or tempered glass

	CRT18	CRT20	CRT24	CRT28	CRT30	CRT32	CRT36
	CTR18	CTR20	CTR24	CTR28	CTR30	CTR32	CTR36
	C1830	C2030	C2430	C2830	C3030	C3230	C3630
	C1836	C2036	C2436	C2836	C3036	C3236	C3636
	C1842	C2042	C2442	C2842	C3042	C3242	C3642
	C1848	C2048	C2448	C2848	C3048	C3248	C3648
	C1854	C2054	C2454	C2854	C3054	C3254	C3654
	C1860	C2060	C2460	C2860	C3060	C3260	C3660
	C1866	C2066	C2466	C2866	C3066	C3266	C3666
	C1872	C2072	C2472	C2872	C3072	C3272	C3672
14 ⁵ / ₁₆ "	16 ⁵ / ₁₆ "	20 ⁵ / ₁₆ "	24 ⁵ / ₁₆ "	26 ⁵ / ₁₆ "	28 ⁵ / ₁₆ "	32 ⁵ / ₁₆ "	
1'-6"	1'-8"	2'-0"	2'-4"	2'-6"	2'-8"	3'-0"	
1'-8 ³ / ₄ "	1'-10 ³ / ₄ "	2'-2 ³ / ₄ "	2'-6 ³ / ₄ "	2'-8 ³ / ₄ "	2'-10 ³ / ₄ "	3'-3 ³ / ₄ "	
1'-6 ³ / ₄ "	1'-8 ³ / ₄ "	2'-0 ³ / ₄ "	2'-4 ³ / ₄ "	2'-6 ³ / ₄ "	2'-8 ³ / ₄ "	3'-0 ³ / ₄ "	
							GLASS
							UNIT DIM.
							BRICK MOLD DIM.
							ROUGH OPENING

Primed Wood Casements
Single Units




Casement Windows

Casement Windows


2'-6"	2'-6 ³ / ₄ "	2'-7 ¹ / ₂ "	2'-7 ¹ / ₂ "	2'-6"	2'-6"	2'-6"
2'-6 ³ / ₄ "	3'-0 ³ / ₄ "	3'-1 ¹ / ₂ "	3'-1 ¹ / ₂ "	3'-0"	3'-0"	3'-0"
3'-6 ³ / ₄ "	3'-7 ¹ / ₂ "	3'-8 ¹ / ₂ "	3'-8 ¹ / ₂ "	3'-6"	3'-6"	3'-6"
4'-0 ³ / ₄ "	4'-1 ¹ / ₂ "	4'-1 ¹ / ₂ "	4'-1 ¹ / ₂ "	4'-0"	4'-0"	4'-0"
4'-6 ³ / ₄ "	4'-7 ¹ / ₂ "	4'-6"	4'-6"	50 ⁵ / ₁₆ "	50 ⁵ / ₁₆ "	50 ⁵ / ₁₆ "
5'-0 ³ / ₄ "	5'-1 ¹ / ₂ "	5'-0"	5'-0"	56 ⁵ / ₁₆ "	56 ⁵ / ₁₆ "	56 ⁵ / ₁₆ "
5'-6 ³ / ₄ "	5'-7 ¹ / ₂ "	5'-6"	5'-6"	62 ⁵ / ₁₆ "	62 ⁵ / ₁₆ "	62 ⁵ / ₁₆ "
6'-0 ³ / ₄ "	6'-1 ¹ / ₂ "	6'-0"	6'-0"	68 ⁵ / ₁₆ "	68 ⁵ / ₁₆ "	68 ⁵ / ₁₆ "
GLASS UNIT DIM	BRICK MOLD DIM	ROUGH OPENING				
14 ⁵ / ₁₆ "	16 ⁵ / ₁₆ "	20 ⁵ / ₁₆ "	24 ⁵ / ₁₆ "	26 ⁵ / ₁₆ "	28 ⁵ / ₁₆ "	32 ⁵ / ₁₆ "
3'-0"	3'-4"	4'-0"	4'-8"	5'-0"	5'-6"	6'-0"
3'-2 ³ / ₄ "	3'-6 ³ / ₄ "	4'-2 ³ / ₄ "	4'-10 ³ / ₄ "	5'-2 ³ / ₄ "	5'-8 ³ / ₄ "	6'-2 ³ / ₄ "
3'-0 ³ / ₄ "	3'-4 ³ / ₄ "	4'-0 ³ / ₄ "	4'-8 ³ / ₄ "	5'-0 ³ / ₄ "	5'-6 ³ / ₄ "	6'-0 ³ / ₄ "

Primed Wood Casements


Double Units




Single Glaze




SSB/Narrow Bar



SSB/Wide Bar



5/8" IG 1 Lite



5/8" IG TDL



















































Casement Windows

FEATURES

- Primed wood exteriors ready for paint or stain
- Standard 5/8 insulated glass manufactured to meet today's changing climates
- White or bronze hardware
- White or bronze screens available

OPTIONS

- Applied jamb extensions up to 7-1/2"
- White or bronze grills between glass
- Single glazed true divided lights with historical 1-1/4" or 7/8" Mutin bars
- Insulated true divided lights with 1/4" bar
- Insulated simulated divided lights with 1" bar
- Grey or bronze tint, obscure, or tempered glass

						2'-6 3/4"
C3 1830	C3 2030	C3 2430	C3 2830	C3 3230	C3 3630	2'-7 1/2"
						2'-6"
C3 1836	C3 2036	C3 2436	C3 2836	C3 3236	C3 3636	3'-0"
						3'-6"
C3 1842	C3 2042	C3 2442	C3 2842	C3 3242	C3 3642	3'-6 3/4"
						4'-0"
C3 1848	C3 2048	C3 2448	C3 2848	C3 3248	C3 3648	4'-0 3/4"
						4'-6"
C3 1854	C3 2054	C3 2454	C3 2854	C3 3254	C3 3654	4'-6 3/4"
						5'-0"
C3 1860	C3 2060	C3 2460	C3 2860	C3 3260	C3 3660	5'-0 3/4"
						5'-6"
C3 1866	C3 2066	C3 2466	C3 2866	C3 3266	C3 3666	5'-6 3/4"
						6'-0"
C3 1872	C3 2072	C3 2472	C3 2872	C3 3272	C3 3672	6'-0 3/4"
14 ⁵ / ₁₆ "	16 ⁵ / ₁₆ "	20 ⁵ / ₁₆ "	24 ⁵ / ₁₆ "	26 ⁵ / ₁₆ "	28 ⁵ / ₁₆ "	GLASS UNIT DIM.
4'-6"	5'-0"	6'-0"	7'-0"	8'-0"	9'-0"	BRICK MOLD DIM.
4'-8 ³ / ₄ "	5'-2 ³ / ₄ "	6'-2 ³ / ₄ "	7'-2 ³ / ₄ "	8'-2 ³ / ₄ "	9'-2 ³ / ₄ "	ROUGH OPENING
4'-6 ³ / ₄ "	5'-0 ³ / ₄ "	6'-0 ³ / ₄ "	7'-0 ³ / ₄ "	8'-0 ³ / ₄ "	9'-0 ³ / ₄ "	

Primed Wood Casements
Triple Units

Casement Windows

Casement Windows

3'-6 ³ / ₄ "	3'-7 ¹⁵ / ₁₆ "	3'-6"	38 ⁵ / ₁₆ "	44 ⁵ / ₁₆ "	50 ⁵ / ₁₆ "	56 ⁵ / ₁₆ "	62 ⁵ / ₁₆ "	68 ⁵ / ₁₆ "
4'-0 ³ / ₄ "	4'-1 ¹⁵ / ₁₆ "	4'-0"	3'-6"	4'-0"	4'-6"	5'-0"	5'-6"	6'-0"
4'-6 ³ / ₄ "	4'-7 ¹⁵ / ₁₆ "	4'-6"	3'-8 ³ / ₄ "	4'-2 ³ / ₄ "	4'-8 ³ / ₄ "	5'-2 ³ / ₄ "	5'-8 ³ / ₄ "	6'-2 ³ / ₄ "
5'-0 ³ / ₄ "	5'-1 ¹⁵ / ₁₆ "	5'-0"	3'-6 ³ / ₄ "	4'-0 ³ / ₄ "	4'-6 ³ / ₄ "	5'-0 ³ / ₄ "	5'-6 ³ / ₄ "	6'-0 ³ / ₄ "
5'-6 ³ / ₄ "	5'-7 ¹⁵ / ₁₆ "	5'-6"						
6'-0 ³ / ₄ "	6'-1 ¹⁵ / ₁₆ "	6'-0"						



Primed Wood Picture Window Units

FEATURES


- Primed wood exteriors ready for paint or stain
- Standard 5/8 insulated glass manufactured to meet today's changing climates
- White or bronze hardware
- White or bronze screens available

ALSO AVAILABLE


- Insulated simulated divided lights
- 45° Angle Bay,s
- 30° Angle Casement Bow
- Casement picture Units with flankers
- Custom casements are available. Please see your Sales Representative for special quote and pricing




Casement Windows




Vertical



Vertical




Horizontal




Horizontal

OPTIONS

- Applied jamb extensions up to 7-1/2"
- White or bronze grills between glass
- Single glazed true divided lights with historical 1-1/4" or 7/8" Mutin bars
- Insulated true divided lights with 1/4" bar
- Insulated simulated divided lights with 1" bar
- Grey or bronze tint, obscure, or tempered glass



Vertical



Horizontal

Awning Windows





	ACT 24	ACT 30	ACT 32	ACT 36	ACT 42	ACT 48
	ATR 24	ATR 30	ATR 32	ATR 36	ATR 42	ATR 48
	A 2414	A 3014	A 3214	A 3614	A 4214	A 4814
	A 2420	A 3020	A 3220	A 3620	A 4220	A 4820
	A 2424	A 3024	A 3224	A 3624	A 4224	A 4824
	A 2430	A 3030	A 3230	A 3630	A 4230	A 4830
ROUGH OPENING	2'-6 3/4"	2'-0 3/4"	2'-8 3/4"	2'-2 3/4"	2'-10 3/4"	1'-4 3/4"
BRICK MOLD DIM.	2'-6"	2'-0"	2'-8"	2'-2"	2'-10"	1'-4"
UNIT DIM.	26 5/16"	20 9/16"	16 9/16"	10 9/16"		
GLASS	20 1/2"	26 1/2"	32 1/2"	32 1/2"	38 1/2"	44 1/2"
	2'-0"	2'-6"	2'-8"	3'-0"	3'-6"	4'-0"
	2'-1 5/16"	2'-7 5/16"	2'-9 5/16"	3'-1 5/16"	3'-7 5/16"	4'-1 5/16"
	2'-0 1/2"	2'-6 3/4"	2'-8 3/4"	3'-0 3/4"	3'-6 3/4"	4'-0 3/4"

Primed Wood Awnings

FEATURES

- Primed wood exteriors ready for paint or stain
- Standard 5/8 insulated glass manufactured to meet today's changing climates
- White or bronze hardware
- White or bronze screens available

Awning Windows



Section Details
4-9/16" Masonry Wall
Not to Scale


Section Details
4-9/16" Wood Siding
Not to Scale





Sliding Windows

OPTIONS

- Applied jamb extensions up to 7-1/2"
- White or bronze grills between glass
 - Single glazed true divided lights with historical 1-1/4" or 7/8" Mutin bars
- Insulated true divided lights with 1-1/4" bar
- Insulated simulated divided lights
- Grey or bronze tint, obscure, or tempered glass




Primed Wood Sliders




Section Details
4-9/16" Masonry Wall
Not to Scale

Architectural Windows




Half Round Wood Windows

24"	63"
28"	64"
32"	65-1/2"
36"	72"
40"	73-1/2"
48"	84"
49-1/2"	96"
57-1/2"	108"
60"	--




Full Round Wood Windows

- 2/0
- 2/4
- 2/8
- 3/4
- 4/0
- 5/0
- 6/0




Quarter Circle Wood Windows

2/0 x 2/0
2/4 x 2/4
2/8 x 2/8
3/0 x 3/0
4/0 x 4/0
5/0 x 5/0
6/0 x 6/0



Rectangle, Elliptical and Segment Head Transom Units

3/0 x 1/0"	3/0 x 1/2"	3/0 x 1/6"
4/0 x 1/0"	4/0 x 1/2"	4/0 x 1/6"
4/8 x 1/0"	4/8 x 1/2"	4/8 x 1/6"
5/0 x 1/0"	5/0 x 1/2"	5/0 x 1/6"
5/4 x 1/0"	5/4 x 1/2"	5/4 x 1/6"
6/0 x 1/0"	6/0 x 1/2"	6/0 x 1/6"



Palladian Window Units

10" x 3/0 x 10" x 3/2
10" x 3/0 x 10" x 4/6
10" x 3/0 x 10" x 5/2
10" x 3/0 x 10" x 5/6
10" x 3/0 x 10" x 6/2
10" x 3/0 x 10" x 6/6